

SZ 13



Article

| Item no. | Description |
|----------|--|
| 177212 | SZ 13 Opener rail for garage door openers, 4.09 m profile length, 0.8 mm thickness, toothed belt, 2-piece |

Scope of delivery

- 2-part opener rail with rail connector, pre-assembled ready for installation

Use

| | SZ 13 |
|--|-------|
| Height overhead doors (max.) [m] | 3.5 |
| Height of sectional doors with normal fitting (max.) [m] | 3.25 |
| Height of sectional doors with low lintel fitting (max.) [m] | 3.125 |
| Height of sectional doors with tension springs (max.) [m] | 3.125 |

- For Comfort 260 (accu/speed), 270 (speed), 280, 360, 370 and 380

Technical data

- Operator means: Toothed belt
- Bearing: Plain bearing
- Division: 2-piece
- Height overhead doors (max.)[m]: 3.5
- Height of sectional doors with normal fitting (max.)[m]: 3.25

- Height of sectional doors with low lintel fitting (max.)[m]: 3.125
- Height of sectional doors with tension springs (max.)[m]: 3.125
- Width [mm]: 71
- Height [mm]: 29.5
- Length [mm]: 4,152
- Profile length [mm]: 4,090
- Movement stroke [mm]: 3,470
- Material thickness [mm]: 0.8
- Weight [kg]: 7.2
- Packing width: 0
- Packing height: 0
- Packing depth/length: 0
- Packing weight: 7
- Anzahl pro Palette: 60
- Freight forwarding articles: No
- GTIN: 4062434012482
- Customs tariff number: 84799070
- Country of origin 1000: Deutschland
- Garantie: 5 years

Accessories

| Item no. | Description |
|----------|---|
| 90870 | Suspension clamp set Additional suspension clips for opener rails with special length, 10 pcs |
| 76728 | Cable holder set Holder for round and flat cable on opener rail, 50 pieces |
| 182006 | Special 109 Anti-thrust device for garage doors as additional burglar protection. Achieves class RC 2 in accordance with DIN/TS 18194:2020-07 and SKG ** in conjunction with a certified door with at least the same class |
| 90870 | Suspension clamp set Additional suspension clips for opener rails with special length, 10 pcs |
| 76728 | Cable holder set Holder for round and flat cable on opener rail, 50 pieces |
| 87577 | Cross rail tethering set Connecting element for fastening the opener rail to the cross rail of the gate, 10 pcs |
| 182006 | Special 109 Anti-thrust device for garage doors as additional burglar protection. Achieves class RC 2 in accordance with DIN/TS 18194:2020-07 and SKG ** in conjunction with a certified door with at least the same class |
| 184839 | Accessories bag "Old opener rail" Installation components for opener rails SZ to 03.2020 |
| 184568 | Detolux accessory bag Connecting elements for Alulux Detolux doors with operator rails SZ as of 04.2020 |
| 180030 | Special 112 Door connection element for sectional doors, 0.37 m, extendable to 0.43 to 0.62 m |
| 118627 | Special 102 Curved door arm for retractable up-and-over doors, 0.86 m |
| 564867 | Special 103 Hinged gate fitting, 2.6 m |
| 119478 | Special 104 Extension for door connector, 0.24 m extension |
| 8055637 | Special 105 Door connection element for side sectional doors, with hinge |
| 68990 | Special 106 Door connection element for side sectional doors, multi-adjustable |

| Item no. | Description |
|----------|---|
| 564458 | Special 201 Release device for up-and-over doors with lateral door locking device |
| 182024 | Special 311 Emergency release for retractable up-and-over doors, 3.05 m Bowden cable for door inner handles |
| 182021 | Special 304 Emergency release for swing and sectional doors, 26 mm security cylinder lock with 2 keys and 0.7 m Bowden cable |
| 182026 | Special 305 Emergency release for swing and sectional doors, 13 mm cylinder lock with 2 keys and 0.7 m Bowden cable |
| 158955 | Special 306 Emergency release for sectional doors, 13 mm cylinder lock with 2 keys and 1.5 m pull rope |