


Special 613-2



Article

Item no.	Description
85295	Special 613-2 Reflex light barrier with 8 m range, 2-wire, IP65, with 7.5 m cable

Scope of delivery

- Light barrier transmitter/receiver
- Reflector
- Connecting cable, 7,500 mm
- Installation material

Features

Features

- 2-wire technology: supply, signal and testing via only 2 polarity reversal protected and connectable wires
- The reflector saves the laying of a cable from the control to the opposite side of the gate
- Optical safety device to protect against personal injury and damage to property

Use

- For controls with connection for 2-wire light barriers

Technical data

- Connection type: Conventional
- Interfaces: 2-wire
- Protection class: IP65
- Range [m]: 8
- Range (min.) [m]: 1
- Range (max.) [m]: 8
- Operating voltage [V]: 24 V-DC
- Width [mm]: 59
- Height [mm]: 96
- Depth [mm]: 55
- Cable length [m]: 7.5
- Packing width: 190
- Packing height: 110
- Packing depth/length: 263
- Packing weight: 0.948
- Freight forwarding articles: No
- GTIN: 4062434007341
- Customs tariff number: 85365080
- Country of origin 1000: Deutschland
- Garantie: 2 years

Accessories

Item no.	Description
85314	Installation bracket set for Special 613-2 photoelectric sensor and reflector
97559	Special 670 Light barrier expander for connecting 2 pieces of 2-wire light barriers to one input

Technical drawings

