

Control 950



Article

Item no.	Description
159260	Control 950 LED signal light 24 V, orange, without cable, 2.9 W, IP65

Scope of delivery

- Signal light with LED bulb
- Installation material

Features

Features

- Flashing or lit (depending on the programming of the control)
- Long-life and power-saving LED light source

Use

- For all Marantec controls and third-party products. For the garage door openers (except Comfort 390 plus), the EP 161 extension board is additionally required. An external relay is additionally required for control CBX102B

Technical data

- Illuminant: 8 LED module

- Luminous flux [lm]: 208
- Protection class: IP65
- Color: Orange Black
- Operating voltage [V]: 24 V-DC
- Rated current [A]: 0.12
- Power consumption [VA/W/kW]: 2.9 W
- Diameter [mm]: 65
- Width [mm]: 65
- Height [mm]: 85
- Depth [mm]: 65
- Packing width: 74
- Packing height: 73
- Packing depth/length: 92
- Packing weight: 0.107
- Freight forwarding articles: No
- GTIN: 4062434008782
- Customs tariff number: 85318070
- Country of origin 1000: Volksrepublik China
- Garantie: 2 years

Accessories

Item no.	Description
100752	EP 161 Expansion board with one programmable input and one output 24 V-DC 0.2 A for LED signal lights, with 0.2 m cable and holder for garage door openers

Technical drawings

