

Digital 382



Article

Item no.	Description
122419	Digital 382 2-channel mini hand transmitter, unidirectional, 868 MHz Multi-Bit

Scope of delivery

- Hand transmitter with battery
- Wall bracket with installation material
- Coding plug

Features

Features

- 2 function keys for free assignment
- Signaling by red LED
- Eyelet for attachment to keychain or lanyard
- Simple and direct copying of a hand transmitter key to another hand transmitter by means of plug-in contacts

Use

- For all Marantec controls and third-party products (in conjunction with corresponding Multi-Bit receiver)

Technical data

- Housing type: Mini
- Number of freely programmable keys: 2
- Channels: 2
- Antenna: Integrated
- Radio frequency: 868 MHz
- Radio technology: Multi-Bit
- Radio coding: Marantec
- Communication direction: Unidirectional
- Color: RAL 7011 RAL 7016
- Temperature (min.)[°C]: -20
- Temperature (max.)[°C]: 60
- Temperature (min./max.)[°C]: -20/60
- Temperature (min.)[°F]: -4
- Temperature (max.)[°F]: 140
- battery type: CR2032, 3 V
- Battery count: 1
- Width [mm]: 39
- Height [mm]: 86
- Depth [mm]: 12
- Weight [kg]: 0.02
- Packing width: 56
- Packing height: 52
- Packing depth/length: 101
- Packing weight: 0.066
- Freight forwarding articles: No
- GTIN: 4062434003800
- Customs tariff number: 85269200
- Country of origin 1000: Deutschland
- Garantie: 2 years

Accessories

Item no.	Description
167535	Sun visor clip for Mini Hand Transmitters Digital 564, 663, 382, and 384, 10 pieces à
140224	Wall mount mini for mini hand transmitters Digital 564, 663, 382 and 384, 5 pieces

Predecessors

Item no.	Description	Discontinuation
123585	Digital 382 2-channel mini hand transmitter, unidirectional, 868 MHz Multi-Bit	2023-06-12

Item no.	Description	Discontinuation
160380	Digital 382 2-channel mini hand transmitter, unidirectional, 868 MHz Multi-Bit, set of 10	2024-01-19
160387	Digital 382 2-channel mini hand transmitter, unidirectional, 868 MHz Multi-Bit, set of 25	2024-01-19
160394	Digital 382 2-channel mini hand transmitter, unidirectional, 868 MHz Multi-Bit, set of 50	2024-01-19