

Electrical accessories



Article

Item no.	Description
191759	Electrical accessories with four inputs for OPEN/STOP/CLOSE/light and three relays for OPEN/CLOSE/light, in IP65 housing

Scope of delivery

- Board relay OPEN-CLOSE-LIGHT in housing with 2 m cable with system plugs
- Adapter board system wiring/conventional with 0.14 m cable with system plugs
- EP 141 Extension board control elements with 0.2 m cable with MS-Bus connectors
- Extension housing for garage door openers
- Mounting material

Features

Relay retrofit kit

Features

- 3 potential-free relay contacts for end position signals OPEN, CLOSED and external lighting
- 1 input for Marantec control elements with system wiring

Adapter board without housing

Features

- Transition from conventional cabling to system cabling and vice versa

EP 141

Features

- 1 input for Marantec control elements with system wiring
- Compact size enables accommodation in the operator housing

Use

Relay retrofit kit

- For Comfort 260 (speed), 270 (speed), 280, 360, 370, 380 and 390. Can only be used in conjunction with EP 141 expansion circuit board

Adapter board without housing

- For Marantec controls with system wiring

EP 141

- For Comfort 260 (speed), 270 (speed), 280, 360, 370, 380 and 390 (plus). For Control x.52 and x.82

Technical data

Relay retrofit kit

- Connection type: Pluggable
- Contact type: 2 CO + 1 NO
- Inputs:
 - 1 input for control elements with system wiring
- Outputs:
 - 2 potential-free relay contacts for end position messages (CO)
 - 1 potential-free relay contact for lighting (NO)
- Interfaces: System cabling (RJ11 connector)
- Protection class: IP65
- Operating voltage [V]: 24 V-DC
- Operating voltage type: Direct current
- Contact load (max.):
 - 250 V/60 W
- Width [mm]: 200
- Height [mm]: 60
- Depth [mm]: 120
- Packing width: 118
- Packing height: 73
- Packing depth/length: 215

- Packing weight: 0.428
- Freight forwarding articles: No
- GTIN: 4062434007365
- Customs tariff number: 85364110
- Country of origin 1000: Deutschland
- Garantie: -

Adapter board without housing

- Connection type: Pluggable
- Interfaces: System cabling (RJ11 connector)
- Protection class: IP00
- Width [mm]: 68
- Height [mm]: 36
- Depth [mm]: 22
- Packing width: 104
- Packing height: 33
- Packing depth/length: 248
- Packing weight: 0.055
- Freight forwarding articles: No
- GTIN: 4011805048292
- Customs tariff number: 85423190
- Country of origin 1000: Deutschland
- Garantie: -

EP 141

- Connection type: Pluggable
- Inputs:
 - 1 input for accessories with system cabling
- Interfaces: MS bus (RJ14 connector) System cabling (RJ11 connector)
- Protection class: IP00
- Operating voltage [V]: 24 V-DC
- Operating voltage type: Direct current
- Width [mm]: 30
- Height [mm]: 50
- Depth [mm]: 20
- Packing width: 0
- Packing height: 0
- Packing depth/length: 0
- Packing weight: 0.06
- Freight forwarding articles: No
- GTIN: 4062434000649
- Customs tariff number: 85364110
- Country of origin 1000: Deutschland
- Garantie: -