

# SZ 13



## Article

Item no.	Description
177212	<b>SZ 13</b> Opener rail for garage door openers, 4.09 m profile length, 0.8 mm thickness, toothed belt, 2-piece

## Scope of delivery

- 2-part opener rail with rail connector, pre-assembled ready for installation

## Use

	SZ 13
Height overhead doors (max.) [m]	3.5
Height of sectional doors with normal fitting (max.) [m]	3.25
Height of sectional doors with low lintel fitting (max.) [m]	3.125
Height of sectional doors with tension springs (max.) [m]	3.125
<ul style="list-style-type: none"> <li>• For Comfort 260 (accu/speed), 270 (speed), 280, 360, 370 and 380</li> </ul>	

## Technical data

- Operator means: Toothed belt
- Bearing: Plain bearing
- Division: 2-piece
- Height overhead doors (max.) [m]: 3.5
- Height of sectional doors with normal fitting (max.) [m]: 3.25

- Height of sectional doors with low lintel fitting (max.) [m]: 3.125
- Height of sectional doors with tension springs (max.) [m]: 3.125
- Width [mm]: 71
- Height [mm]: 29.5
- Length [mm]: 4,152
- Profile length [mm]: 4,090
- Movement stroke [mm]: 3,470
- Material thickness [mm]: 0.8
- Weight [kg]: 7.2
- Packing width: 0
- Packing height: 0
- Packing depth/length: 0
- Packing weight: 7
- Anzahl pro Palette: 60
- Freight forwarding articles: No
- GTIN: 4062434012482
- Customs tariff number: 84799070
- Country of origin 1000: Deutschland
- Garantie: 5 years

## Accessories

Item no.	Description
90870	<b>Suspension clamp set</b> Additional suspension clips for opener rails with special length, 10 pcs
76728	<b>Cable holder set</b> Holder for round and flat cable on opener rail, 50 pieces
182006	<b>Special 109</b> Anti-thrust device for garage doors as additional burglar protection. Achieves class RC 2 in accordance with DIN/TS 18194:2020-07 and SKG ** in conjunction with a certified door with at least the same class
90870	<b>Suspension clamp set</b> Additional suspension clips for opener rails with special length, 10 pcs
76728	<b>Cable holder set</b> Holder for round and flat cable on opener rail, 50 pieces
87577	<b>Cross rail tethering set</b> Connecting element for fastening the opener rail to the cross rail of the gate, 10 pcs
182006	<b>Special 109</b> Anti-thrust device for garage doors as additional burglar protection. Achieves class RC 2 in accordance with DIN/TS 18194:2020-07 and SKG ** in conjunction with a certified door with at least the same class
184839	<b>Accessories bag "Old opener rail"</b> Installation components for opener rails SZ to 03.2020
184568	<b>Detolux accessory bag</b> Connecting elements for Alulux Detolux doors with operator rails SZ as of 04.2020
180030	<b>Special 112</b> Door connection element for sectional doors, 0.37 m, extendable to 0.43 to 0.62 m
118627	<b>Special 102</b> Curved door arm for retractable up-and-over doors, 0.86 m
564867	<b>Special 103</b> Hinged gate fitting, 2.6 m
119478	<b>Special 104</b> Extension for door connector, 0.24 m extension
8055637	<b>Special 105</b> Door connection element for side sectional doors, with hinge
68990	<b>Special 106</b> Door connection element for side sectional doors, multi-adjustable

Item no.	Description
564458	<b>Special 201</b> Release device for up-and-over doors with lateral door locking device
182024	<b>Special 311</b> Emergency release for retractable up-and-over doors, 3.05 m Bowden cable for door inner handles
182021	<b>Special 304</b> Emergency release for swing and sectional doors, 26 mm security cylinder lock with 2 keys and 0.7 m Bowden cable
182026	<b>Special 305</b> Emergency release for swing and sectional doors, 13 mm cylinder lock with 2 keys and 0.7 m Bowden cable
158955	<b>Special 306</b> Emergency release for sectional doors, 13 mm cylinder lock with 2 keys and 1.5 m pull rope