

# Light 201



## Article

| Item no. | Description                                                                                                                                                                       |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 177521   | <b>Light 201</b> LED lighting system for garages, consisting of 2 magnetic LED strips, each 1,5 m long, connection unit 230 V-AC with integrated radio receiver 868 MHz bi.linked |

## Scope of delivery

- Connection box with integrated power supply unit, radio receiver 868 MHz bi.linked and connection cable with Schuko plug type F, 1,000 mm
- 2 potted LED strips, 1,500 mm long, with integrated magnets and connecting cable, 3,000 mm
- Installation material

## Features

### Features

- LED lighting system for additional light in the garage
- LED strip with integrated magnets for installation on the right and left door track
- Pluggable cable connections simplify assembly
- Connection box with integrated radio receiver
- Previously unused hand transmitter or wall transmitter buttons can be programmed into the radio receiver to switch the light on and off

## Use

- For retractable up-and-over doors and sectional doors

## Technical data

---

- Number of memory locations: 100
- Radio frequency: 868 MHz
- Radio technology: bi.linked
- Radio coding: Marantec
- Illuminant: LED
- Luminous flux [lm]: 4,400
- Color temperature [K]: 4,000
- Protection class: IP20
- Color: RAL 9003
- Operating voltage [V]: 230 V/1~
- Operating voltage type: Alternating current
- Power consumption [VA/W/kW]: 21.5 W
- Width [mm]: 134
- Height [mm]: 178
- Depth [mm]: 46
- Packing width: 216
- Packing height: 108
- Packing depth/length: 223
- Packing weight: 1.102
- Freight forwarding articles: No
- GTIN: 4062434012802
- Customs tariff number: 94054231
- Country of origin 1000: Deutschland
- Garantie: -

Technical drawings

