

Light 201



Article

Item no.

Description

177521

Light 201 LED lighting system for garages, consisting of 2 magnetic LED strips, each 1,5 m long, connection unit 230 V-AC with integrated radio receiver 868 MHz bi.linked

Scope of delivery

- Connection box with integrated power supply unit, radio receiver 868 MHz bi.linked and connection cable with Schuko plug type F, 1,000 mm
- 2 potted LED strips, 1,500 mm long, with integrated magnets and connecting cable, 3,000 mm
- Installation material

Features

Features

- · LED lighting system for additional light in the garage
- · LED strip with integrated magnets for installation on the right and left door track
- Pluggable cable connections simplify assembly
- Connection box with integrated radio receiver
- Previously unused hand transmitter or wall transmitter buttons can be programmed into the radio receiver to switch the light on and off

Use

• For retractable up-and-over doors and sectional doors



Technical data

• Number of memory locations: 100

• Radio frequency: 868 MHz

· Radio technology: bi.linked

• Radio coding: Marantec

• Illuminant: LED

• Luminous flux [Im]: 4,400

• Color temperature [K]: 4,000

• Protection class: IP20

• Color: RAL 9003

• Operating voltage [V]: 230 V/1~

• Operating voltage type: Alternating current

• Power consumption [VA/W/kW]: 21.5 W

• Width [mm]: 134

• Height [mm]: 178

• Depth[mm]: 46

• Packing width: 216

• Packing height: 108

• Packing depth/length: 223

• Packing weight: 1.102

• Freight forwarding articles: No

• GTIN: 4062434012802

Customs tariff number: 94054231Country of origin 1000: Deutschland

• Garantie: -



Technical drawings

