

# SZ 11



## Article

Item no.	Description
177208	SZ 11 Opener rail for garage door openers, 3.08 m profile length, 0.8 mm thickness, toothed belt, 2-piece

## Scope of delivery

- 2-part opener rail with rail connector, pre-assembled ready for installation

## Use

	SZ 11
Height overhead doors (max.) [m]	2.5
Height of sectional doors with normal fitting (max.) [m]	2.25
Height of sectional doors with low lintel fitting (max.) [m]	2.125
Height of sectional doors with tension springs (max.) [m]	2.125

- For Comfort 260 (accu/speed), 270 (speed), 280, 360, 370 and 380

## Technical data

- Operator means: Toothed belt
- Bearing: Plain bearing
- Division: 2-piece
- Height overhead doors (max.) [m]: 2.5
- Height of sectional doors with normal fitting (max.) [m]: 2.25

- Height of sectional doors with low lintel fitting (max.) [m]: 2.125
- Height of sectional doors with tension springs (max.) [m]: 2.125
- Width [mm]: 71
- Height [mm]: 29.5
- Length [mm]: 3,142
- Profile length [mm]: 3,080
- Movement stroke [mm]: 2,460
- Material thickness [mm]: 0.8
- Weight [kg]: 5.8
- Packing width: 78
- Packing height: 67
- Packing depth/length: 1,585
- Packing weight: 5.6
- Number per pallet: 60
- Freight forwarding articles: No
- GTIN: 4062434012468
- Customs tariff number: 84831095
- Country of origin 1000: Deutschland
- Garantie: 5 years

## Accessories

---

Item no.	Description
90870	<b>Suspension clamp set</b> Additional suspension clips for opener rails with special length, 10 pcs
76728	<b>Cable holder set</b> Holder for round and flat cable on opener rail, 50 pieces
182006	<b>Special 109</b> Anti-thrust device for garage doors as additional burglar protection. Achieves class RC 2 in accordance with DIN/TS 18194:2020-07 and SKG ** in conjunction with a certified door with at least the same class
90870	<b>Suspension clamp set</b> Additional suspension clips for opener rails with special length, 10 pcs
76728	<b>Cable holder set</b> Holder for round and flat cable on opener rail, 50 pieces
87577	<b>Cross rail tethering set</b> Connecting element for fastening the opener rail to the cross rail of the gate, 10 pcs
182006	<b>Special 109</b> Anti-thrust device for garage doors as additional burglar protection. Achieves class RC 2 in accordance with DIN/TS 18194:2020-07 and SKG ** in conjunction with a certified door with at least the same class
184839	<b>Accessories bag "Old opener rail"</b> Installation components for opener rails SZ to 03.2020
184568	<b>Detolux accessory bag</b> Connecting elements for Alulux Detolux doors with operator rails SZ as of 04.2020
180030	<b>Special 112</b> Door connection element for sectional doors, 0.37 m, extendable to 0.43 to 0.62 m
118627	<b>Special 102</b> Curved door arm for retractable up-and-over doors, 0.86 m
564867	<b>Special 103</b> Hinged gate fitting, 2.6 m
119478	<b>Special 104</b> Extension for door connector, 0.24 m extension
8055637	<b>Special 105</b> Door connection element for side sectional doors, with hinge
68990	<b>Special 106</b> Gate connection element for side-opening sectional doors when mounting the opener rail on the wall

Item no.	Description
564458	<b>Special 201</b> Release device for up-and-over doors with lateral door locking device
182024	<b>Special 311</b> Emergency release for retractable up-and-over doors, 3.05 m Bowden cable for door inner handles
182021	<b>Special 304</b> Emergency release for swing and sectional doors, 26 mm security cylinder lock with 2 keys and 0.7 m Bowden cable
182026	<b>Special 305</b> Emergency release for swing and sectional doors, 13 mm cylinder lock with 2 keys and 0.7 m Bowden cable
158955	<b>Special 306</b> Emergency release for sectional doors, 13 mm cylinder lock with 2 keys and 1.5 m pull rope