

# GSU-1100-MSC-APZ 1-2T/1



## Article

---

| Item no. | Description                                                                                             |
|----------|---------------------------------------------------------------------------------------------------------|
| 184192   | GSU-1100-MSC-APZ 1-2T/1 Key switch in aluminum pedestal, 2-sided momentary, metal housing, IP54, 3 keys |

## Scope of delivery

---

- Key switch in aluminum pedestal with profile half cylinder (30/10 mm - 0°) and 3 keys

## Features

---

### Features

- 2 interchangeable contacts with push-button function (key left/right)
- Key switch integrated and protected in the stand column
- Modern stand column in anodized aluminum profile
- Burglar resistant due to robust metal housing and access to the inside with the help of the key

## Use

---

- For all Marantec controls and third-party products

## Technical data

---

- Connection type: Conventional
- Number of contacts: 2
- Contact type: 2 NO
- Switch function: 2-sided scanning
- Protection class: IP54
- Material: Aluminum die casting Aluminum
- Width [mm]: 95.5
- Height [mm]: 60
- Depth [mm]: 1,100
- Packing width: 170
- Packing height: 130
- Packing depth/length: 1,155
- Packing weight: 3.487
- Freight forwarding articles: No
- GTIN: 4062434013397
- Customs tariff number: 85365080
- Country of origin 1000: Deutschland
- Garantie: -

Technical drawings

